

TO:

Board of Directors

FROM:

Uri Papish, Executive Director

RE:

Monthly Activity Report - August 2022

A. Asbestos Program:

		<u>Clark</u>	Cowlitz	<u>Lewis</u>	Skamania	Wahkiakum
	1. Asbestos Activities		<u> </u>			···
	a. Notifications	53	17	7	2	_
	b. Field investigations	6	3	3	-	_
	c. Comprehensive field inspections	3	1	-	-	-
	d. Telephone inquiries	28	31	12	2	3
B.	Burning Program:					· ·

1. Burning Activities

Durining Acuvines					
a. Residential	1=1	-	-	-	_
b. Agricultural	-	-	-	-	-
c. Fire training	-	-	-	-	-
d. Land clearing	-	-	-	-	-
e. Other	-	-	-	-	_

C. Non-Title V Program:

1. Non-Title V Permit Inspection Activities:

a. Inspections completed:

7

2

2. Non-Title V Emission Tests Conducted August 1, 2022 through August 31, 2022:

7

The state of the s							
Firm Name	<u>Date</u>	<u>Equipment</u>	<u>Observed</u>				
United Grain	08/19/22	Various	No				
Granite Construction	08/24/22	Asphalt Plant	Yes				
Tesoro	08/24/22	Various	Yes				

3. Non-Title V Permit Program New Source Review Activities:

a. Air Discharge Permit Applications Approved/Denied/Withdrawn August 1, 2022 through August 31, 2022:

	- 11			
ADP No.	Firm Name	County	Business Type	Status
CL-3189	Vancouver School District	Clark	School	Final
CO-1052	Space Age Fuel	Clark	Gasoline Dispensing	Final
CL-3202	Vancouver School District	Clark	School	Final
CO-1055	TEMCO	Cowlitz	Terminal Grain Operation	Final
L-728	Willamette Valley	Lewis	Bark Products	Final
CL-3204	Lakeside Industries	Clark	Asphalt Plant	Final
CO-1051	Kelso Pacific Pride	Cowlitz	Gasoline Dispensing	Final
			1 0	

b. Air Discharge Permit Applications Received August 1, 2022 through August 31, 2022:

Received	ADP No.	Firm Name	County	Business Type
08/03/22	CL-3207	Clark Regional - Salmon Creek	Clark	WWTP
08/11/22	CO-1058	Divert	Cowlitz	Food Composting
08/11/22	L-730	Kellogg Supply	Lewis	Agricultural Chemical Mfg
08/16/22	CL-3208	North Star Casteel	Clark	Foundry Operations
08/17/22	CL-3209	Analog Devices	Clark	Semi-conductor Mfg

c. Air Discharge Permit Applications Pending for Non-Title V Sources: 17

e	Violated				
· ·······························	Regulation		ent of	Settleme	ent
Title V Mitigated Penaltics/S	ettlement Offens				
	ipeline 1	Clark	Со	mmercial	
	oject 1	Clark	Co	mmercial	
6. Sunlight Rentals	1			mmercial	
5. Wilkins Trucking Pit	1				
4. Felida, LLC	2	Clark	Co	mmercial	
3. Evergreen Homes	1	Clark	Co	mmercial	
2. Occupant	4				
1. Rotschy, LLC	1	Clark	Co	mmercial	
ugitive Dust:					
2. Horizon Auto	2				
1. Frito-Lay	1	Clark	Co	mmercial	
Odor			110		
	2				
-					
	32	Clark	Re	sidential	
	Compl	aints Coun	ty <u>T</u> y	<u>pe</u>	NOV Issued
		er of			
Title V Program Complaints	Received:				
Emission Reduction Credit App	olications Pending	: 0			
eived <u>NOC No.</u> ie	FIFIII INAME	Coun	<u>Co</u>	ntaminant	<u>Status</u>
					G
	- C. (O. C.)				
ne					- were
C No. Firm Name	- J. Ollow Lippio				Status
Emission Reduction Credit (FR	C)/Offsets Annroy	ved/Denied/With	rawn Anmiet 1	2022 through	August 31 2022
24/22 SUN-291	Evergreen Scho	ool District	Clark	School	
	_				
		150	County		s Type
		2 through August	_		
City of validou	· • • • • • • • • • • • • • • • • • • •	Ciaix	44 AA T.L.		Final
					Final
				KS	Final
_					Final
					Status
	N-286 City of La Cent N-287 City of Vancour N-288 City of Vancour N-288 City of Vancour Small Unit Notifications Received SUN No. 19/22 SUN-289 14/22 SUN-290 14/22 SUN-291 mission Reduction Credit (ER ENO. Firm Name e Emission Reduction Credit (ER Eved NOC No. e Emission Reduction Credit App Title V Program Complaints Source Name Wood Stove: None Industrial: Indicate Program Complaints Occupant Indicate Program Complaints None Industrial: None Industrial: None Indicate Program Complaints None Indicate Program Complaints None Indicate Program Complaints Occupant	N-285 City of La Center N-286 City of La Center N-287 City of Vancouver WWTP N-288 City of Vancouver WWTP N-290 Evergreen School City of Sets Receiver City of Sets Approver City of	N-285 City of La Center Clark N-286 City of La Center Clark N-287 City of Vancouver WWTP Clark N-288 City of Vancouver WWTP Clark N-288 City of Vancouver WWTP Clark Small Unit Notifications Received August 1, 2022 through August eived SUN No. Firm Name 19/22 SUN-289 Evergreen School District 14/22 SUN-290 Evergreen School District 14/22 SUN-291 Evergreen School District 14/22 SUN-291 Evergreen School District 14/22 SUN-291 Evergreen School District 15/4/22 SUN-291 Evergreen School District 16/4/22 SUN-291 Evergreen School District 16/4/22 SUN-291 Evergreen School District 16/4/22 SUN-291 Evergreen School District 17/4/22 SUN-291 Evergreen School Distri	N-285 City of La Center Clark Public Work N-286 City of La Center Clark Public Work N-287 City of Vancouver WWTP Clark WWTP N-288 City of Vancouver WWTP Clark WWTP N-288 City of Vancouver WWTP Clark WWTP N-288 City of Vancouver WWTP Clark C	N-285 City of La Center Clark Public Works N-286 City of La Center Clark Public Works N-286 City of La Center Clark Public Works N-287 City of Vancouver WWTP Clark WWTP N-288 City of Vancouver WWTP Clark WWTP N-289 City of Vancouver WWTP Clark WWTP N-289 Evergreen School District Clark School M-292 SUN-289 Evergreen School District Clark School M-292 SUN-290 Evergreen School District Clark School M-292 SUN-291 Evergreen School District Clark School M-292 SUN-292 SUN-291 Evergreen School District Clark School M-292 SUN-292 S

6. Non-Title V Appeals Before Pollution Control Hearings Board:

Regulation

Amount of

Name None Violated

Penalty

Status

7. Non-Title V Enforcement Activity: a. Notices of Violation issued:

Clark Cowlitz

Lewis

<u>Skamania</u>

<u>Wahkiakum</u>

8. Ambient Air Monitoring Data:

Explanation of Monitoring Data:

The Air Quality Index was "Good" to "Moderate" this month. (The following data has not yet been validated by the Washington Department of Ecology and is considered "preliminary for internal use only".)

a.	Fine Particulate PM _{2.5} Data: (1) Vancouver	Highest 24 Hr. (month) 13.50 μg/m ³ PM _{2.5}	Standard 35 μg/m³ PM _{2.5}	Health Standard Exceeded No
	(2) Yacolt	6.70 $\mu g/m^3 PM_{2.5}$	$35 \mu g/m^3 PM_{2.5}$	No
	(3) Longview	6.40 $\mu g/m^3 PM_{2.5}$	$35 \mu g/m^3 PM_{2.5}$	No
	(4) Chehalis	6.90 $\mu g/m^3 PM_{2.5}$	35 μg/m ³ PM _{2.5}	No

Site Locations:

Note: The term " $PM_{2.5}$ " refers to particulate 2.5 microns or smaller. This size of particulate can reach the deepest portions of the lung, and pose the greatest threat to human health.

b. Ozone (O₃) Data:

Mountain View High School	Monitored	Health Standard	Health Standard Exceeded
(1) Highest 1 hour average	Construction	0.072 ppm	No
(2) Highest 8 hour average	Construction	0.062 ppm	No

Note: Seasonal monitor operated from May 1 through September 30 of each year.

D. Title V Program:

1. Title V New Source Reviews:

a. Air Discharge Permit Applications Approved/Denied/Withdrawn August 1, 2022 through August 31, 2022:

ADP No.

None

Firm Name

County

Business Type

Status

b. Air Discharge Permit Applications Received August 1, 2022 through August 31, 2022:

Received None ADP No.

Firm Name

County

Business Type

c. Air Discharge Permit Applications Pending for Title V Sources: 3

d. Emission Reduction Credit (ERC)/Offsets Approved/Denied/Withdrawn August 1, 2022 through August 31, 2022:

ERC No.

None

Firm Name

County

Contaminant

Status

^{*}Site No. 1 – Federal Equivalent Method (FEM) monitor located at NE 84th Ave. water station, Vancouver, WA.

^{**}Site No. 2 - Nephelometer located at Yacolt School, 406 Yacolt Road, Yacolt, WA.

^{**}Site No. 3 - Nephelometer located at Olympic School, Longview, WA.

^{**}Site No. 4 - Nephelometer located at Chehalis City Hall, Chehalis, WA.

^{*} Compliance monitor.

^{**}Trends monitors that could be upgraded to compliance monitor, if necessary.

e. Emission Reduction Credit (ERC)/ Offsets Received August 1, 2022 through August 31, 2022:

Received ERC No. Firm Name County Contaminant Status

County

None

f. Emission Reduction Credit Applications Pending: 0

2. Title V Inspections:

Company None

3. Title V Asbestos Activities:

Company None

4. Title V Complaints Received:

<u>Company</u> <u>County</u> <u>Type</u> <u>Complaints</u> <u>Outcome</u>

None

5. Title V Notice of Violation:

<u>Company</u> <u>County</u> <u>NOV Number.</u> <u>Date</u>

None

6. Title V Mitigated Penalties/Settlement Offers:

Regulation Amount of Settlement Name Violated Penalty Amount

None

8.

7. Title V Emission Tests Conducted August 1, 2022 through August 31, 2022:

Firm NameDateSourceObservedClark PUD – River Road08/30/22Gas TurbineYesClark PUD – River Road08/31/22Auxiliary BoilerYes

Title	e V Permits Status:	Permit	Issue	Permit
Pla	ant Name	Number	Date	<u>Status</u>
a.	Owens Brockway Glass Container	SW10-17-R1	07/13/21	Final Permit
b.	Cardinal FG	SW08-14-R1	01/22/19	Final Permit
c.	PacifiCorp Chehalis Power	EFSEC 06-01-R3	12/29/21	Final Permit
d.	City of Vancouver – Westside	SW97-1-R2A	08/31/20	Final Permit
e.	Clark Public Utilities-River Rd Generating Plant	SW99-9-R3	04/03/19	Final Permit
f.	Cowlitz County Headquarters Landfill	SW14-20-R0	10/11/18	Final Permit
g.	Eagle US 2	SW16-21-R0	10/23/19	TV Opt Out Received
h.	Emerald Kalama Chemical, LLC	SW99-10-R2	07/09/14	Renewal Received
i.	Ershigs, Inc. / Attbar	SW97-2-R2	02/26/21	Application Received
j.	Hampton Lumber Mills-Randle	SW97-4-R3	06/12/18	Final Permit
k.	Hampton Lumber Mills-Morton	SW97-5-R3	05/17/21	Renewal Received
1.	Mint Farm Generation LLC	SW08-15-R1	06/11/18	Final Permit
m.	Northwest Pipeline-Chehalis	SW98-6-R3	11/28/18	Final Permit
n.	Northwest Pipeline-Washougal	SW98-7-R3	11/28/18	Final Permit
0.	Sierra Pacific Industries – Centralia	SW09-16-R2	09/12/18	Final Permit
p.	TransAlta Centralia Generation	SW98-8-R5-A	09/22/21	Final Amendment
q.	TransAlta Centralia Mining	SW01-12-R4	04/20/22	Final Permit
r.	Georgia Pacific Consumer Operations	SW20-24-R0-A	12/17/20	Final Permit Amendment
s.	Weyerhaeuser Longview Lumber	SW18-23-R0	06/18/19	Final Permit
t.	North Pacific Paper Co. (NORPAC)	SW18-22-R0-A	07/20/21	Final Admin Amendment

9. Title V Significant Events During The Month:

1. None

E. Public Education Program:

	<u>Clark</u>	Cowlitz	Lewis	Skamania	Wahkiakum
1. Public Education Activities			-		
a. Number of public presentations	-	-	_	_	_
b. Number of educational materials					
produced	-		_	_	7 - L
c. Media contacts	-	-	_	_	
d. Meetings		-	_	-	_
e. Other	-	-	-	-	_ =
2. Wood Stove Education Activities:					
a. Distribution of materials	17	_	1		_
b. Field investigations	-	-	_	- 1	_
c. Telephone inquiries	29	-	1		-

3. Significant Events During The Month:

1. Participate in EPA source test call.

4. Other Public Education Activities:

1. None

F. Summary of All SWCAA Progr	ams		s Spent	Percen	-	
		This 1	<u>Month</u>	Of Res	ources	
1. Work Activity Summary						
 a. Asbestos Program 		120	0.6	4.31	1%	
b. Title V Program		460	0.7	16.45	5%	
c. Non-Title V Program		2000	0.0	71.43	3%	
d. Burning Program		208	3.8	7.46	5%	
e. Public Education Program			9.9	0.35	5%	
TOTAL		2800	_	100%	770	
	Clark	Cowlitz	Lewis	Skamania	Wahkiakum	Total
2. Sources Registered with Agency:						
a. Gasoline Stations - Large	124	49	41	3	2	219
b. Dry Cleaners	14	2	1		_	17
c. Large Active Sources	382	162	110	13	5	673
d. Title V Sources	5	7	8	- 0	_	20
e. Small Active Sources	155	89	96	14	5	359

^{3.} Monthly Revenues: See August 2022 Financial Report.

4. Monthly Expenses By Program: See August 2022 Financial Report.